

## 50-Watt Multimedia Stereo Amplifier - Your Presentation Partner SW805A Series Amplifier with Built-in Wireless Receiver

**S805A or SW805A Amplifier included in all our sound systems!**

*Dual Wireless Capability - A & B Frequencies - 2 Wireless Presenters-  
 Up to 4 Presenters Simultaneously*

The S805A works with virtually any microphone, including condenser (1a), dynamic (1b) and wireless (1c) units. The condenser (electret) input includes phantom power. All 3 mic inputs can be used simultaneously.

(2) Tape record your mixed multimedia presentation as it is happening! Or provide a mixed output \*you control\* to the room's built-in sound system.

(3) Connect one, two or (with optional Y-jacks) up to four speakers, such as our S1201 dual Jensen sound module.



**(4) Never run out of power!**

- a. Talk for up to 200 hours on a single set of 10 D-cell alkaline batteries (not supplied);
- b. Or use the S1460 International AC Adapter/Recharger (option) to plug in virtually anywhere in the world;
- c. Better still -- add the S1465 NiCad Power Pack (option) with the S1460 for maximum flexibility.

**(5) Make your computer or video projector programs heard** - by connecting them to the stereo line input (with separate volume & tone). Or add pre-recorded music and sound effects via CD or tape player.

**New SW805A Amplifier with Built-in Wireless Receiver Available in All Lecterns.**

**Dual wireless capability . . .** SW805A amp and second optional wireless mic kit allow 2 presenters to be wireless at the same time (A & B operating frequencies).

**Hands free - freedom to roam** within a 300 foot radius. Have up to 4 microphones and 4 presenters simultaneously

**All systems include S805A or NEW SW805A Amplifier!**

**805A/SW805A Multimedia Amp - 50 Watts.**

Features include: Up to 4 mics. (dynamic, condenser and 2 wireless) that can be used simultaneously. Left/right speaker jacks. Auxiliary input (with separate tone and volume controls) for CD, tape player or computer. Line-out to record. Battery powered by 10 Alkaline D-cells for up to 200 hours or rechargeable NiCad Battery Pack (sold separately). Int'l. AC Adapter/Recharger (sold separately).



AmpliVox amplifiers have been internationally recognized as time-tested, field-proven workhorses for over 40 years. Innovative design and an emphasis on relentless reliability are hallmarks of all AmpliVox products.

Measuring only 9 inches wide (8.5 face + .25 mounting rail on each side) x 3.5 inches high x 8.5 inches deep; don't let its compact design fool you - the new S805A has more useful features than many amps twice its size and price.

**Her Master's Voice!**



**BUILT-IN WIRELESS AVAILABLE ON ALL MODELS**

The SW Series with *built-in wireless receiver* in all amplifiers to create dual wireless capability for presenters. AmpliVox's 50 watt multimedia stereo amplifier with built-in wireless receiver has A and B channels which allow two presenters to use 2 wireless mics from the SAME amp when they use an optional external receiver. For more flexibility in presentations, up to 4 mics can be used simultaneously: 2 wireless, one dynamic, and one condenser with phantom power. All sound systems and lecterns in the AmpliVox line can now be ordered with the SW Series built-in wireless amp or with the standard S Series amplifier.



S1605



S1630



SW805A



S1640

The new SW Series SW805A amplifier with built-in wireless receiver can be ordered with the customer's choice of wireless handheld (S1605,) lapel (S1630) or Headworn (S1640) microphone with body-pack transmitter. All lectern sound systems in the SW Series will continue to include a dynamic microphone.

## Versatile Power

- 50 Watts of Power for Natural Voice Sound
- Battery Power for True Mobility (Alkaline or NiCad)
- Continuous Power Save Function to Cost-Effectively Conserve Battery Power
- AC Power with Optional Adapter/Recharger
- Easy Plug-in Jack for Optional Lectern Lamp

## Speaking Power - Wired & Wireless

- Separate Dynamic, Condenser (with Phantom Power) and Wireless Microphone Inputs
- Independent Microphone Volume Control
- All 3 Mic Inputs Can Be Used Simultaneously

## Multimedia Power

- Line Input for Video Projector, Computer Sound Card, Tape Player, CD Player or
- Separate Volume and Tone Controls for Line Input
- Ability to Mix Microphone and Line Inputs for More Dramatic Presentations
- True Stereo Output - Left and Right Jacks for Connecting Multiple Speakers
- Line Out Jack for Recording "Mixed" Presentation to Another Tape Recorder

Model No.	Description	Shpg. Wt.	MSRP
<b>S805A</b>	<b>Multimedia Amplifier</b> Cordless, portable, 50-watt multi media stereo amplifier; 3 mic inputs, mic volume separate from auxiliary line in, line out volume; tone control.	6 lbs	319.00
<b>SW805A</b>	<b>Multimedia Amplifier</b> same features as above plus <b>Built-in Wireless Receiver</b> ; 2 wireless; 4 mic inputs.	7 lbs	424.00

### POWER OPTIONS - ALL SOLD SEPARATELY ALL AMPLIVOX AMPLIFIERS REQUIRE

1. 10 'D' CELL ALKALINE BATTERIES - S1430 PROVIDES UP TO 200 HOURS TALK TIME)	<b>OR</b>
2. ADAPTER / RECHARGER - MODEL S1460 (110/220V 50MOHZ) USE ANYWHERE IN THE WORLD	<b>OR</b>
3. NICAD BATTERY PACK - MODEL S1 465 (RECHARGEABLE USING AMPLIVOX AC ADAPTER/RECHARGER	<b>OR</b>
4. DC ADAPTER CABLES - MODEL S1462 (PLUGS INTO ANY CIGARETTE LIGHTER SOCKET)	
<b>NEVER RUN OUT OF POWER GUARANTEE</b>	

\* All prices and specifications subject to change without prior notice

**AmpliVox Sound Systems, LLC**  
 3149 MacArthur Blvd.  
 Northbrook, IL 60062  
 Email: [info@ampli.com](mailto:info@ampli.com)  
 Internet: <http://www.ampli.com>

**Contact Us: Phone: (847) 498-9000**  
**Fax: (847) 498-6691**  
**Orders Only: Phone: (800) 267-5486**  
**Fax: (800) 267-5489**

Copyright 2004 AmpliVox Sound Systems, LLC  
 All rights reserved