

Corporate Offices Audio-Visual Systems - Project #8742
Immedia Integrated Technologies

 Modified: 9/6/2016
 Revision: 23

Model	Description	Part Number	QTY
ACCESS DOORS DIRECT			
KSTDW-18x18	KARP KSTDW SESAME CEILING HATCH, 18" x 18", CONCEALED DOOR PANEL FOR ENTRY TO DRYWALL CEILING.		1
ADAPTIVE TECHNOLOGIES			
MM-018	PAN & TILT CEILING SPEAKER MOUNT.		2
MP-500NPT-TA	CHANNEL STRUT ADAPTER FOR 1/2-INCH PIPE.		2
ALLEN & HEATH			
QU-24	30-INPUT / 24-OUTPUT MIXING CONSOLE WITH 24 MIC/LINE INPUTS, 25 MOTORIZED FADERS, 3 STEREO LINE INPUTS, 4 STEREO FX WITH SENDS/RETURNS, 20 MIX OUTS, 2 STEREO GROUPS, 2 STEREO MATRIX OUTS AND AUTOMATIC MIC MIXING.		1
APPLE			
CRESTRON SMART GRAPHICS APP	CRESTRON SMART GRAPHICS CONTROL APP FOR IPAD AND IPHONE DEVICES.		7
MGL12LL/A	IPAD AIR 2 WITH WI-FI - 16GB - SPACE GRAY 9.7" RETINA DISPLAY WITH ENGRAVING AND BUILT-IN WI-FI.		7
ATLONA			
AT-HDVS-RX	HDBASET TO HDMI RECEIVER OVER A SINGLE CAT5E/6/7. INCLUDES AUDIO DE-EMBEDDER.		11
AT-HDVS-TX	DUAL HDMI AND VGA-A HDBASET SIGNAL TRANSMITTER OVER A SINGLE CAT5E/6/7. INCLUDES UNDER-TABLE MOUNT.		10
AT-HDVS-TX-WP	HDMI AND VGA-A HDBASET 2-GANG WALLPLATE TRANSMITTER OVER A SINGLE CAT5E/6/7. WHITE.		1
BARCO			
R9861006D01	CLICKSHARE BUTTON - USB WIRELESS INTERFACE.		8
R9861008	CLICKSHARE CSM-1 WIRELESS PRESENTATION SYSTEM WITH 2 USB-POWERED TRANSMITTERS AND BASE UNIT WITH HDMI AND HD-15 OUTPUTS, USB (2) AND LAN PORTS.		3
BIAMP			
PH POE36U-1AT-R	PHIHONG GIGABIT POE+ INJECTOR, IEEE802.3AF COMPLIANT, IEEE802.3AT CLASSIFIED, 90-264 VAC INPUT VOLTAGE		1
TESIRA EX-IN	TESIRA 4-CHANNEL MIC/LINE INPUT EXPANDER WITH POE+.		1
TESIRA EX-OUT	TESIRA 4-CHANNEL MIC/LINE OUTPUT EXPANDER WITH POE+.		1
TESIRA FORTE AVB AI	DIGITAL SIGNAL PROCESSOR WITH I/O SERVER, 12 ANALOG INPUTS, 8 ANALOG OUTPUTS, 8 CHANNELS OF CONFIGURABLE USB AUDIO AND 128x128 CHANNELS OF AVB.		1
TESIRA FORTE AVB CI	DIGITAL SIGNAL PROCESSOR WITH I/O SERVER, 12 ANALOG INPUTS, 8 ANALOG OUTPUTS, 8 CHANNELS OF CONFIGURABLE USB AUDIO, SONA ACOUSTIC ECHO CANCELLATION ON ALL 12 INPUTS AND 128x128 CHANNELS OF AVB.		1
TESIRA FORTE AVB VI	DIGITAL SIGNAL PROCESSOR WITH I/O SERVER, 12 ANALOG INPUTS, 8 ANALOG OUTPUTS, 8 CHANNELS OF CONFIGURABLE USB AUDIO, SONA ACOUSTIC ECHO		7

CANCELLATION ON ALL 12 INPUTS, BUILT-IN 2-CHANNEL VOIP INTERFACE AND 128x128 CHANNELS OF AVB.

CABLES TO GO

28101	1M USB 2.0 A/B CABLE - BLACK (3.2FT)	1
53877	TRULINK USB 2.0 SUPERBOOSTER DECORA WALL PLATE TRANSMITTER (WHITE) TO WALL PLATE RECEIVER KIT.	11
53880	TRULINK USB 2.0 SUPERBOOSTER DONGLE KIT	1

CASTNET

2CS09819C0	28 HOURS OF CREATIVE PROGRAMMING. SCOPE TBD.	1
CLOUD1KITS	CLOUD PLAYER 1 KIT: SMALL FORM FACTOR COMPUTER WITH 2 OUTPUTS. INCLUDES: COMPUTER, KEYBOARD, MOUSE, CASTNET PLAYER SOFTWARE SUITE, 1 YEAR OF CASTNET ASSURANCE (SOFTWARE UPDATES AND PHONE SUPPORT PER PLAYER), AND 3 YEAR DELL ONSITE GOLD SUPPORT, 1 YEAR OF RENTAL TIME FOR UNLIMITED USERS/PER PLAYER	2

CHIEF

CMA-347	VIBRATION DAMPING CEILING MOUNT KIT	1
VCMU	HEAVY DUTY UNIVERSAL PROJECTOR MOUNT	1

CISCO

E1000	WIRELESS-N ROUTER.	E1000	7
-------	--------------------	-------	---

COVID, INC.

1R0001-BA-M-A-IMM	1RU RACK PANEL WITH IMMEDIA LOGO / CONTACT INFORMATION AND RJ-45 F-F FOR SYSTEM SET UP.	7
CAT 3800 5E	CAT 5 CABLE, PLENUM-RATED	600
COV 3100 95B	RG6 CABLE, SINGLE-CONDUCTOR, PLENUM-RATED	150
CSP 3200 22	22 AWG CABLE SHIELDED TWISTED PAIR, PLENUM-RATED	2950
CSP 3400 22	TWO 22-AWG INDIVIDUALLY SHIELDED TWISTED PAIR CABLES, PLENUM-RATED	2250
CVA 3200 12	12 AWG PAIR SPEAKER CABLE, PLENUM-RATED	100
CVA 3200 16	16 AWG PAIR SPEAKER CABLE, PLENUM-RATED	3700
CVC 0104-BNC	BNC COMPRESSION CONNECTOR FOR COV 1100/3100 RG6	8
P-C6F-BLK-R	CAT 6a CABLE, SHIELDED, PLENUM-RATED, BLACK.	12050
QT-0004815	1-GANG PLATE WITH 1 XLR-F-SC, ENGRAVED MIC 2, BLACK POWDER COAT.	2
QT-0004816	1-GANG PLATE WITH 1 XLR-F-SC, ENGRAVED MIC 1, BLACK POWDER COAT.	1
QT-0006275	1-GANG PLATE WITH 1RJ-45 CONNECTOR LABELED DM OUT, BLACK POWDER COAT.	3
QT-0013677	1RU RACK PANEL WITH HDMI F-F CONNECTOR, BLACK.	2
QT-0016715	1-GANG PLATE WITH TWO TRS PHONE JACKS LABELED FROM MIXER L-R, WHITE POWDER COAT.	1
QT-0021105	1-GANG PLATE WITH 1 RJ-45 CONNECTOR LABELED CONFERENCE MIC, WHITE.	3
QT-0026420	1-GANG PLATE WITH 1 XLR-M-SC, LABELED RECORD OUT, WHITE POWDER COAT.	1
QT-0077568	2-GANG PLATE WITH ONE DECORA OPENING AND TWO XLR-M CONNECTORS, WHITE.	7
RJ45-0124	SHIELDED RJ-45 MALE CONNECTOR.	172
VP-CAT 0833 5E-05	CAT5E CABLE WITH RJ-45 CONNECTORS, 5 FT. NON-PLENUM.	14
VP-USBAA-10	USB A-A CABLE, 10FT. NON-PLENUM.	11

CRESTRON

CEN-SWPOE-24	24-PORT MANAGED POE SWITCH IEEE U, AB, AF	CEN-SWPOE-24	1
--------------	---	--------------	---

Pick List

CP3	3-SERIES CONTROL SYSTEM WITH ETHERNET, 3 COM PORTS, 8 IR PORTS & 8 RELAYS. POWER SUPPLY INCLUDED. 1RU.		1
DMC-4K-C-DSP	4K DM 8G+ INPUT CARD WITH DOWN-MIXING FOR DM SWITCHERS. INCLUDES LOCAL HDMI AND STEREO AUDIO OUTPUTS.	DMC-4K-C-DSP	11
DMC-4K-CO-HD	4K DM OUTPUT CARD WITH TWO DIGITALMEDIA 8G+ OUTPUTS AND 1 HDMI OUTPUT IN PARALLEL WITH OUTPUT ONE FOR DM SWITCHERS.		9
DMC-4K-HD	4K HDMI INPUT CARD FOR DM SWITCHERS.		2
DMC-4K-HD-DSP	4K HDMI INPUT CARD WITH DOWN-MIXING FOR DM SWITCHERS.	DMC-4K-HD-DSP	16
DMC-4K-HDO	DM 4K SCALING OUTPUT CARD WITH 2 HDMI AND 2 STEREO ANALOG AUDIO OUTPUTS FOR DM SWITCHERS.		5
DMC-C-DSP	8G+ INPUT CARD W/ DOWN-MIXING FOR DM SWITCHERS.		5
DMC-HDO	DM OUTPUT CARD WITH 2 HDMI AND 2 STEREO ANALOG AUDIO OUTPUTS FOR DM SWITCHERS.		4
DMC-SDI	SDI INPUT CARD FOR DM SWITCHERS.		1
DM-MD16X16	16X16 DIGITALMEDIA SWITCHER, REQUIRES DMC-SERIES DM INPUT and OUTPUT CARDS. 7RU. NOTE: SWITCHER REQUIRES MINIMUM OF 24" USABLE MOUNTING DEPTH.		2
DM-MD8X8	8X8 DIGITALMEDIA SWITCHER, REQUIRES DMC-SERIES DM INPUT and OUTPUT CARDS. 4RU. NOTE: SWITCHER REQUIRES MINIMUM OF 24" USABLE MOUNTING DEPTH.		2
DMPS3-300-C	3-SERIES DIGITALMEDIA PRESENTATION SYSTEM 300 - MATRIX SWITCHER WITH 2 HDMI, 2 HD-15/HDMI, 1 HD-15/HDMI/COMPONENT/COMPOSITE & 2 DM INPUTS; 2 HDMI & 2 DM OUTPUTS; 5 STEREO LINE & 6 MIC INPUTS; 3 STEREO LINE AND 40W STEREO/70V OUTPUTS WITH DSP; 2 COM, 4 IR/SERIAL & 4 RELAYS. LAN PORT.		3
DM-RMC-100-C	DIGITALMEDIA 8G SHIELDED TWISTED PAIR RECEIVER & ROOM CONTROLLER 100 - DM INPUT, HDMI OUTPUT, 1 COM PORT, and 2 IR PORTS. LAN CONNECTIVITY, REQUIRES NETWORK CONNECTIVITY/IP ADDRESS BY OTHERS.		3
DM-RMC-4K-100-C	4K DIGITALMEDIA 8G+ RECEIVER AND ROOM CONTROLLER 100. DM INPUT. HDMI OUTPUT.	DM-RMC-4K-100-C	2
DM-RMC-4K-SCALER-C	4K DIGITALMEDIA 8G RECEIVER & ROOM CONTROLLER WITH SCALER - DM INPUT, HDMI OUTPUT, 1 COM PORT, 2 IR PORTS & 1 USB PORT. LAN CONNECTIVITY, REQUIRES NETWORK CONNECTIVITY/IP ADDRESS BY OTHERS.		10
DM-RMC-SCALER-C	DIGITALMEDIA 8G RECEIVER & ROOM CONTROLLER WITH SCALER - DM INPUT, HDMI OUTPUT, 1 COM PORT, 2 IR PORTS & 1 USB PORT. LAN CONNECTIVITY, REQUIRES NETWORK CONNECTIVITY/IP ADDRESS BY OTHERS.		2
DM-RX1-4K-C-1G-W-T	WALL PLATE 4K DIGITALMEDIA 8G+ RECEIVER WITH SINGLE HDMI OUTPUT, WHITE. MOUNTS IN 1-GANG BOX.		4
DM-TX1-4K-C-1G-W-T	WALL PLATE 4K DIGITALMEDIA 8G+ TRANSMITTER WITH SINGLE HDMI INPUT, WHITE. MOUNTS IN 1-GANG BOX.		1
DM-TX-200-C-2G	DIGITALMEDIA 8G WALL PLATE TRANSMITTER 200 - ONE HDMI and ONE HD-15 WITH 3.5MM AUDIO INPUT TO ONE DM 8G STP OUTPUT. INCLUDES USB PORT. MATTE BLACK.		3
DM-TX-200-C-2G-W-T	DIGITALMEDIA 8G STP WALL PLATE TRANSMITTER 200 - ONE HDMI AND ONE HD-15 WITH 3.5MM AUDIO INPUT TO ONE DM 8G STP OUTPUT, WHITE. INCLUDES USB PORT.		2
DM-TX-201-C	DIGITALMEDIA 8G STP TRANSMITTER 201 - ONE HDMI and ONE HD-15 WITH 3.5MM AUDIO INPUT TO ONE DM 8G STP OUTPUT. INCLUDES LOCAL HDMI OUTPUT.		7
HD-DA-2	1-TO-2 HDMI DISTRIBUTION AMPLIFIER & AUDIO CONVERTER.		5
HD-DA2-4K-E	1-TO-2 4K HDMI DISTRIBUTION AMPLIFIER		2
HD-DA8-4K-E	1-TO-8 4K HDMI DISTRIBUTION AMPLIFIER		4
HD-EXT3-C-W	HDMI OVER HDBASET W/ IR AND RS-232. INCLUDES ONE HD-TX3-C TRANSMITTER AND ONE HD-RX3-C RECEIVER, WHITE.	HD-EXT3-C	2
HD-EXT3-C-W_SYSTEM	HDMI OVER HDBASET W/ IR AND RS-232. INCLUDES ONE HD-TX3-C TRANSMITTER AND ONE HD-RX3-C RECEIVER, WHITE.	HD-EXT3-C	6

IRP2	INFRARED EMITTER PROBE FOR 2-SERIES CONTROL SYSTEMS		8
PRO3	3-SERIES CONTROL SYSTEM, THREE 3-SERIES CONTROL CARD SLOTS, 6 COM, 8 IR/SERIAL, 8 RELAY, 8 I/O & 1 LAN PORT. FRONT PANEL CONTROL.		3
PW-4818DU	48V POWER PACK FOR PoDM.	PW-4818DU	2
SW-FUSION-RV	FUSION ROOMVIEW REMOTE ASSET MANAGEMENT SOFTWARE.		1
TPMC-4SM-W-S	ISYS I/O 4.3-INCH WALL-MOUNT TOUCHPANEL MEDIA CENTER FOR SURFACE-MOUNT OR TABLE-TOP INSTALLATION, GLOSS WHITE; INCLUDES ROOM SCHEDULING WITH FUSION RV SOFTWARE. NOTE: REQUIRES LAN CONNECTIVITY BY OTHERS.		14
WMKU-4SM-W-S	UNIVERSAL WALL MOUNT KIT FOR TPMC-4SM & TPMC-4SMD, GLOSS WHITE.		14

DA-LITE

75935	YORKSHIRE 25-INCH LECTERN; VENEER FINISH WITH BRONZE OR BRASS TRIM; INCLUDES READING LIGHT AND LED DIGITAL CLOCK/TIMER.		2
-------	---	--	---

D-Link

DGS-1008P	8-PORT SWITCH - POWERS UP TO FOUR NETWORK DEVICES VIA CATEGORY CABLES USING POWER OVER ETHERNET.		5
DGS-1100-08P	8-PORT SWITCH - POWERS UP TO EIGHT NETWORK DEVICES VIA CATEGORY CABLES USING POWER OVER ETHERNET.		4

DRAPER

101755FN-C	CUSTOM PREMIER 189-INCH 16:10 PROJECTION SCREEN WITH LOW VOLTAGE CONTROLLER AND BLACK BACKING. NOTE: DUE TO THE HIGH GAIN FABRIC AND LARGE DIMENSIONS OF THIS SCREEN, THERE WILL BE A SEAM IN THE VIEWING AREA.		1
102351L	ACCESS V 137-INCH DIAGONAL 16:10 MOTORIZED PROJECTION SCREEN WITH LVC and SWITCH		1
Q485427-001	CINESCREEN CUSTOM VERSAROLL 99 x 287 x 3/16-INCH REAR PROJECTION SCREEN WITH BLACK VERSA-ROLL FRAME.		1

EXTRON

26-566-01	MVGA-A M - M VGA MICRO HR WITH AUDIO CABLE, 3 FT.		10
26-566-02	MVGA-A M - M VGA MICRO HR WITH AUDIO CABLE, 6 FT.		14
26-566-03	MVGA-A M - M VGA MICRO HR WITH AUDIO CABLE, 12 FT.		5
26-614-01	HDMI M-DVI-D M/3		1
26-649-03	DVID SL PRO/3 - 3 FT. DVI MALE-TO-MALE CABLE		6
26-649-06	DVID SL PRO/6 - 6 FT. DVI MALE-TO-MALE CABLE		32
26-663-06	HDMI ULTRA FLEXIBLE HIGH SPEED CABLE, 6 FT.		18
26-663-12	HDMI ULTRA FLEXIBLE HIGH SPEED CABLE, 12 FT.		38
26-667-01	HDMI ULTRA FLEXIBLE MICRODIGITAL CABLE, 1.5 FT.		2
26-667-03	HDMI ULTRA FLEXIBLE MICRODIGITAL CABLE, 3 FT.		86
26-667-06	HDMI ULTRA FLEXIBLE MICRODIGITAL CABLE, 6 FT.		44
60-1272-12	DTP DVI 4K 230 TX - DVI TWISTED PAIR EXTENDER WITH LOCAL OUTPUT, REQUIRES SHIELDED CAT6A CABLE.		3
60-1272-13	DTP DVI 4K 230 RX - DVI TWISTED PAIR EXTENDER, REQUIRES SHIELDED CAT6A CABLE.		3
60-1324-01	SMP 351 - H.264 STREAMING MEDIA PLAYER. STREAMS AND RECORDS SIMULTANEOUSLY. PROCESSES TWO SIGNALS FROM FOUR INPUTS. HDMI AND STEREO AUDIO OUTPUTS. LAN AND USB STORAGE PORTS.		1
60-1399-02	CABLE CUBBY 202 US - SERIES 2 CABLE ACCESS ENCLOSURE FOR AV CONNECTIVITY AND ONE POWER OUTLET.		2
60-190-10	RSU 126 - 1RU RACK SHELF KIT, 6 DEEP		1

60-841-21	SW2 HDMI - TWO INPUT HDMI AUTO-SWITCHER WITH EDID MINDER, HDCP COMPLIANT. RS-232 CONTROLLABLE.		5
70-077-01	MBU 125 - UNDER-DESK MOUNTING KIT FOR QUARTER AND HALF RACK WIDTH PRODUCTS.		5

IMMEDIA

BIAMP PROG 24	BIAMP PROGRAMMING	PROGRAMMING	3
BIAMP PROG 8	BIAMP PROGRAMMING	PROGRAMMING	1
CO# 1 SHIPPING	SHIPPING and HANDLING		1
CO# 3 SHIPPING	SHIPPING and HANDLING		1
CO# 4 SHIPPING	SHIPPING and HANDLING		1
CO# 6 Cont'd SHIPPING	SHIPPING and HANDLING		1
CO# 6 SHIPPING	SHIPPING and HANDLING - CHANGE ORDER #6		1
CO# 7 Equipment Discount	EQUIPMENT DISCOUNT - CHANGE ORDER #7		1
CO# 7 SHIPPING	SHIPPING and HANDLING - CHANGE ORDER #7		1
Isagenix CO# 3 SHIPPING	SHIPPING and HANDLING		1
MISC. C & C 1	MISCELLANEOUS CABLES and CONNECTORS	Misc. C & C 1	32
MISC. C & C 2	MISCELLANEOUS CABLES and CONNECTORS	Misc. C & C 2	1
MISC. C & C 4	MISCELLANEOUS CABLES and CONNECTORS	Misc. C & C 4	3
MISC. HW	MISCELLANEOUS HARDWARE	Misc. HW	34
MISC. HW - CAMERA	MISCELLANEOUS CAMERA MOUNTING HARDWARE	Misc. HW - Screen	3
MISC. HW - FP	MISCELLANEOUS FLAT PANEL MOUNTING HARDWARE	Misc. HW - FP	59
MISC. HW - PROJ	MISCELLANEOUS PROJECTOR MOUNTING HARDWARE	Misc. HW - Proj	5
MISC. HW - RACK	MISCELLANEOUS RACK HARDWARE	Misc. HW	7
MISC. HW - SCREEN	MISCELLANEOUS SCREEN MOUNTING HARDWARE	Misc. HW - Screen	3
MISC. HW - SPEAKER	MISCELLANEOUS SPEAKER MOUNTING HARDWARE	Misc. HW - Speaker	9
MISC. LABOR - AUDIO FEED	LABOR TO INTEGRATE AUDIO FEED FROM STUDIO.	Misc. Labor	3
MISC. LABOR - DEINSTALL FP	LABOR TO DEINSTALL ONE EXISTING SHARP 70-INCH FLAT PANEL.	Misc. Labor	1
MISC. LABOR - OFE EFB10S-OG/EFB610BTBK	LABOR TO INTEGRATE OWNER-FURNISHED WIREMOLD EVOLUTION SERIES 10-GANG FLOOR BOX WITH COVER.		3
MISC. LABOR - OFE FP	LABOR TO INTEGRATE OWNER-FURNISHED FLAT PANEL DISPLAY	Misc. Labor	1
MISC. LABOR - OFE LT	LABOR TO INTEGRATE OWNER-FURNISHED VGA & HDMI LAPTOP INPUTS VIA OWNER-FURNISHED PASSTHROUGH PLATES IN CONFERENCE TABLE.	Misc. HW - Interface	14
MISC. LABOR - OFE LT2	LABOR TO INTEGRATE OWNER-FURNISHED HDMI LAPTOP INPUT VIA OWNER-FURNISHED PASSTHROUGH PLATE IN CONFERENCE TABLE.	Misc. HW - Interface	10
MISC. LABOR - OFE PC - HDMI	LABOR TO INTEGRATE OWNER-FURNISHED PC WITH HDMI OUTPUT.	Misc. Labor	11
MISC. LABOR - OFE SAT RADIO	LABOR TO INTEGRATE OWNER-FURNISHED SATELLITE RADIO RECEIVER.	Misc. Labor	2
MISC. LABOR - OFE SAT RCVR	LABOR TO INTEGRATE OWNER-FURNISHED SATELLITE VIDEO RECEIVER.	Misc. Labor	3
MISC. LABOR - VIDEO FEED	LABOR TO INTEGRATE DM VIDEO FEED FROM STUDIO.	Misc. Labor	2
PROGRAMMING 1	CRESTRON PROGRAMMING	PROGRAMMING	14
PROGRAMMING 16	CRESTRON PROGRAMMING	PROGRAMMING	1
PROGRAMMING 24	CRESTRON PROGRAMMING	PROGRAMMING	3
PROGRAMMING 40	CRESTRON PROGRAMMING	PROGRAMMING	3

Pick List

PROGRAMMING 8	CRESTRON PROGRAMMING	PROGRAMMING	1
PROGRAMMING 8 - LIGHTING	CRESTRON PROGRAMMING TO CONTROL EXISTING LIGHTING. NOTE: ANY INTERFACE REQUIRED TO PROVIDE RS-232 OR CONTACT CLOSURE CONTROL TO BE PROVIDED BY OTHERS.	PROGRAMMING	2
QRG 3	CRESTRON QUICK REFERENCE GUIDE	QRG	5
RESTOCKING FEE	RESTOCKING FEE FOR TWO VADDIO ZOOMSHOT 20 QUSB SYSTEMS.	Restocking Fee	2
SHIPPING	SHIPPING and HANDLING		1
IPOINT			
70142	MAGNETIC IN-WALL MOUNTING STATION FOR IPAD2	LAUNCHPORT WALLSTATION	7
70300	AP.5 SLEEVE FOR IPAD AIR AND IPAD AIR2 TO PROTECT AND ALLOW DOCKING TO BASESTATION AND WALLSTATION, BLACK.	70300	7
JBL			
CBT 70J-1	HIGH-POWER J-SHAPED LINE ARRAY COLUMN WITH 16 ONE-INCH and 4 FIVE-INCH DRIVERS. SWIVEL/TILT WALL BRACKET INCLUDED.		2
CBT 70JE-1	CBT LOW FREQUENCY EXTENSION COLUMN WITH 4 FIVE-INCH DRIVERS. BRACKET FOR CBT 70J-1 ATTACHMENT INCLUDED.		2
CONTROL 16CT-BK	6.5-INCH 2-WAY 70.7V IN-CEILING SPEAKER, BLACK.		12
LAB GRUPPEN			
C 68:4	4-CHANNEL 1200W INTO 8-OHMS / 1600W INTO 70V POWER AMPLIFIER		1
E 12:2	2-CHANNEL 600W 70V/8-OHM POWER AMPLIFIER, 1RU.		2
E 4:2	2-CHANNEL 200W 70V/8-OHM POWER AMPLIFIER, 1RU.		2
LIBERTY CABLE			
12-2C-P-BLK	12 AWG 2-CONDUCTOR SPEAKER CABLE, PLENUM-RATED.		500
DL-AOCHP-010M	33 FT. PLENUM RATED HYBRID COPPER / FIBER OPTIC HDMI CABLE.		4
DL-AR	UNIVERSAL HDMI ADAPTER RING ASSEMBLY WITH ADAPTERS FOR HDMI TO DISPLAYPORT, MINI DISPLAYPORT, MINI HDMI, MICRO HDMI, AND DVI-D. INCLUDES CABLE CLAMP TO ATTACH RING TO HDMI CABLE.		17
WQ459582	1-GANG WALL PLATE WITH TWO RJ-45 F-F CONNECTIONS, LABELED CONFERENCE MIC IN AND OUT, WHITE POWDER COAT.		8
WQ464131	4-GANG WALL PLATE WITH 4 XLR-F CONNECTIONS LABELED "MIC 1-4" AND 4 TRS CONNECTIONS LABELED "LINE 1-4". BLACK POWDER COAT.		1
WQ464132	4-GANG WALL PLATE WITH 4 BNC CONNECTIONS LABELED "SDI 1-4" AND 4 HDMI-PIGTAIL CONNECTIONS LABELED "HDMI 1-4". BLACK POWDER COAT.		2
WQ464133	6-GANG WALL PLATE WITH 8 XLR-F CONNECTIONS LABELED "MIC 5-12" AND 4 TRS CONNECTIONS LABELED "LINE 5-8". BLACK POWDER COAT.		1
WQ464137	2RU RACK PANEL WITH 12 XLR-M CONNECTIONS LABELED "MIC 1-12" AND 8 TRS CONNECTIONS LABELED "LINE 1-8". BLACK POWDER COAT.		1
LISTEN			
CAT6-05	CAT6 STP CABLE ASSEMBLY, 5 FT.		26
CONFIDEA CU	CONFIDEA CU CENTRAL UNIT - PROVIDES CONTROL AND POWER FOR UP TO 120 CONFERENCE UNITS.		1
L-CD-C	DIGITAL CONFERENCING WIRED CHAIRMAN UNIT & MICROPHONE.		1
L-DD-C	DIGITAL CONFERENCING WIRED DELEGATE UNIT & MICROPHONE.		25
LOGITECH			
CC3000E	USB VIDEOCONFERENCING SYSTEM INCLUDES CAMERA, WALL MOUNT, MIC STATION, HUB AND CABLES.		11

MK520	WIRELESS KEYBOARD WITH LASER MOUSE & UNIFYING RECEIVER.	1
-------	---	---

MAGENTA RESEARCH

2211114-02	HD-ONE DX500 - HDMI UTP EXTENDER TX/RX KIT - EXTENDS UP TO WUXGA RESOLUTION SIGNAL OVER CAT6 UP TO 500 FT. INCLUDES TWO POWER SUPPLIES.	3
------------	---	---

MIDDLE ATLANTIC PRODUCTS

CBS-WRK-32	SKIRTED WHEELBASE FITS 32-INCH DEEP WRK RACKS, INCLUDES CASTERS.	1
D3	3 SPACE RACK DRAWER, BLACK BRUSHED FINISH, 15 7/8 INSIDE WIDTH	3
DOOR-S16	SOLID DOOR FOR 16RU ESSEX MMR SERIES RACK, FITS FRONT AND REAR.	1
EB1	1RU BLANK PANEL	32
EB2	2RU BLANK PANEL	6
EB3	3RU BLANK PANEL	2
MMR-1620	16 RU 20-INCH DEEP ESSEX MULTI-MOUNT RACK.	1
MW-10FT-550CFM	INTEGRATED 10" FAN TOP, INCLUDES 1 FAN, 550 CFM, FITS ANY MRK, WRK, VRK OR VMRK, BLACK FINISH	1
PD-915R	9 OUTLET 15 AMP POWER STRIP WITH SURGE PROTECTION.	2
PD-920R	9 OUTLET 20 AMP RACK MOUNT POWER STRIP W/ SURGE PROTECTION	4
PDT-1020C-NS	10 OUTLET 20 AMP VERTICAL POWERSTRIP W/ CIRCUIT BREAKER.	3
PDF-44	PLEXI FRONT DOOR FOR 44RU ERK, MRK & WRK SERIES RACK.	1
PIVOT-MMR-16	WALL-MOUNT BACK PAN FOR 16RU ESSEX MMR SERIES RACK.	1
Q893513	CUSTOM EQUIPMENT RACK WITH TWO 14RU BAYS, GANGING HARDWARE, CASTER BASES AND THERMOLAMINATE FINISH IN GRAYSTONE.	1
RSH-4A	2-5 SPACE CUSTOM RACKMOUNT KIT, INCLUDING FACE PLATE, BLACK BRUSHED FINISH	2
SRSR-2-14	14RU ROTATING SLIDING RAIL SYSTEM, 150 LB. CAPACITY	1
SRSR-2-16	16RU ROTATING SLIDING RAIL SYSTEM, 150 LB. CAPACITY	1
U1	1RU RACKSHELF, 11 DEEP	16
U2	2RU RACKSHELF, 14.75 DEEP	2
U317	3RU VENTED RACKSHELF, 17 INCHES DEEP	5
WRK-44SA-32	44-SPACE 32-INCH DEEP STAND-ALONE RACK WITH REAR DOOR.	3

MOTU

AVB-SWITCH	5-PORT AVB-ENABLED ETHERNET SWITCH.	3
------------	-------------------------------------	---

NEC

NP34ZL	0.95-1.2:1 ZOOM LENS FOR NEC NP-PX602UL AND NP-602WL PROJECTORS.	1
NP38ZL	2.9-5.5 ZOOM LENS FOR NEC NP-PX602UL AND NP-602WL PROJECTORS.	1
NP-PX602UL-WH	6000 LUMEN WUXGA LASER/PHOSPHOR PROJECTOR WITHOUT LENS - 10,000:1 CONTRAST, 2 HDMI, 1 HD-15, 1 5-BNC, 1 DISPLAYPORT AND 1 HDBaseT INPUT, 1 HDMI OUTPUT. USB PORT. IR, LAN and RS-232 CONTROLLABLE.	2

PANASONIC

ET-DLE150	1.3 - 1.9:1 ZOOM LENS FOR SINGLE CHIP DLP PROJECTORS.	3
ET-UK20	GEOMETRY MANAGER PRO SOFTWARE UPGRADE KIT.	3
PT-RZ670BU	6500 LUMENS WUXGA 1-CHIP DLP LASER PROJECTOR WITH 10000:1 CONTRAST RATIO, 1 HD-SDI, 1 HDMI, 1 DVI-D, 1 HD-15, 1 5-BNC RGB/COMPONENT/COMPOSITE VIDEO INPUT, VARIABLE AUDIO OUTPUT, LAN PORT. RS-232 CONTROLLABLE. WHITE CABINET. 1.8-2.4:1 T:W RATIO.	3
PT-S09TFMTVL	ON-SITE FIELD CONSULTING - PROJECTOR.	1

TH-55LFV50U	55-INCH HIGH BRIGHTNESS ULTRA-NARROW BEZEL 1080p LED-BACKLIT DISPLAY INCLUDES 1 HDMI, 1 DVI-D, 1 HD-15, 1 COMPONENT AND 1 COMPOSITE VIDEO INPUT; DVI-I AND AUDIO LINE OUTPUTS; 1 LAN PORT; RS-232 CONTROLLABLE. PORTRAIT OR LANDSCAPE MOUNT.		32
PEERLESS			
DS-VW765-LQR	FULL-SERVICE VIDEO WALL-MOUNT WITH QUICK RELEASE FOR 46-65 INCH DISPLAYS.		32
PREMIER MOUNTS			
AM300-B	SWINGOUT ARM FITS 40"-68" DISPLAYS		1
ECM-3763S	CEILING MOUNT FOR 37-63 DISPLAY		3
P4263T	TILT MOUNT FITS DISPLAYS UP TO 175 LBS.		3
P5080T	UNIVERSAL TILT MOUNT FOR 50-80 DISPLAYS		16
PDS-PLUS-W	LOW PROFILE MOUNT FOR PROJECTORS UP TO 75 LBS, WHITE.		4
PRO CO			
BPBQXF-20	BALANCED AUDIO PATCH CABLE, XLRF TO TRSM, 20 FT.		2
QSC			
CX 1102	2-CHANNEL 700 WATT 8-OHM POWER AMPLIFIER		1
RGB SPECTRUM			
MW 2900	MEDIAWALL 2900 WITH 2 RGB/COMPONENT, 8 DVI AND 8 HDMI INPUTS AND 4 DVI OUTPUTS - 2RU.		1
SANOXY			
USBA_F-USB_B_M	USB A FEMALE TO USB B MALE ADAPTER.	B000GHUIF4	11
SHARP			
LC-60LE661U	60-INCH LED-EDGELIT LCD 1080P 120HZ LCD DISPLAY, 3 HDMI, 1 HD-15, 1 RF, 1 COMPONENT AND 1 COMPOSITE VIDEO INPUT; 1 ANALOG AND 1 DIGITAL AUDIO OUTPUT; LAN PORT; RS-232 CONTROLLABLE.		2
LC-70EQ10U	70-INCH AQUOS QUATTRO 1080P LED DISPLAY WITH BUILT-IN TUNER, SPEAKERS AND WI-FI; 4 HDMI, 1 HD-15, 1 COMPONENT AND 2 COMPOSITE VIDEO INPUTS; 2 USB AND 1 LAN PORT; DIGITAL OPTICAL AND VARIABLE 3.5MM AUDIO OUTPUTS; RS-232 CONTROLLABLE.		2
LC-70LE661U	70-INCH LED-EDGELIT LCD 1080P 120HZ LCD DISPLAY, 3 HDMI, 1 HD-15, 1 RF, 1 COMPONENT AND 1 COMPOSITE VIDEO INPUT; 1 ANALOG AND 1 DIGITAL AUDIO OUTPUT; LAN PORT; RS-232 CONTROLLABLE.		5
LC-80LE661U	80-INCH LED-EDGELIT LCD 1080P 120HZ LCD DISPLAY, 3 HDMI, 1 HD-15, 1 RF, 1 COMPONENT AND 1 COMPOSITE VIDEO INPUT; 1 ANALOG AND 1 DIGITAL AUDIO OUTPUT; LAN PORT; RS-232 CONTROLLABLE.		14
SHURE			
MX153T/O=-TQG	OMNIDIRECTIONAL EARSET MICROPHONE, TAN		4
MX396/C-DUAL	DUAL-ELEMENT MIC, 1-180 DEGREES COVERAGE, BACK OR BOTTOM EXIT CABLE		3
MX396/C-TRI	TRI-ELEMENT MIC, ADJUSTABLE TO 180 OR 360 DEGREES COVERAGE, BACK OR BOTTOM EXIT CABLE		2
MX418D/C	DESKTOP GOOSENECK CARDIOID CONDENSER MIC W/ PROGRAMMABLE SWITCH		2
QLXD14	QLX WIRELESS BODYPACK SYSTEM WITH INSTRUMENT CABLE, NO MICROPHONE INCLUDED.		4
QLXD14/83	QLX WIRELESS MIC SYSTEM WITH WL183 OMNIDIRECTIONAL LAVALIER, QLXD4 RECEIVER, TWO HALF-WAVE ANTENNAE AND RACK-MOUNT KIT.		3

QLXD24/SM58	QLX WIRELESS HANDHELD MICROPHONE SYSTEM WITH SM58 HANDHELD TRANSMITTER, QLXD4 RECEIVER, TWO HALF-WAVE ANTENNA AND RACK-MOUNT KIT.	4
UA505	REMOTE ANTENNA MOUNTING BRACKET KIT	6
UA8100	100 FT. UHF REMOTE ANTENNA EXTENSION CABLE	2
UA825	25 FT. REMOTE ANTENNA EXTENSION CABLE BNC-BNC	2
UA844SWB	FOUR-WAY ACTIVE ANTENNA SPLITTER and POWER DISTRIBUTION SYSTEM FOR ULX and SLX SYSTEMS	3
UA850	50 FT. REMOTE ANTENNA EXTENSION CABLE	2
SUNBRITE		
SB-4670HD	46" OUTDOOR TV 2-HDMI, VGA, RF, RS-232, BUILT-IN SPEAKERS WEATHERPROOF REMOTE CONTROL	4
WM46NA	TILT WALL MOUNT FOR 46" & 55" MODELS. VESA 75/100 COMPLIANT. STAINLESS STEEL HARDWARE.	4
SURGEX		
SX1115RT	RACKMOUNT 9 OUTLET, 15 A POWER CONDITIONER WITH REMOTE. NOTE: THIS UNIT WILL BE PROGRAMMED TO POWER THE AV SYSTEM OFF WHEN NOT IN USE.	2
TANNOY		
8001 4080	CMS401 DCE - 4-INCH 70V DUAL-CONCENTRIC DRIVER WITH AIMABLE TWEETER	10
8001 4180	PLASTER RING FOR CMS501 BM and CVS4	10
8001 4240	CVS6 - 6-INCH, 2-WAY, 70V IN-CEILING LOUDSPEAKER	8
8001 4650	PLASTER RING FOR CMS801 BM	4
8001 4730	CMS801 SUB BM - 8-INCH 8-OHM/70V-60W IN-CEILING SUBWOOFER	10
8001 6290	CVS8 - 8-INCH, 2-WAY, 70V IN-CEILING LOUDSPEAKER	46
8001 7981	AMS 6ICT - WHITE 6.5-INCH 70V/LO-Z INDOOR/OUTDOOR LOUDSPEAKER, YOKE INCLUDED.	2
8001 7991	AMS 8DC - WHITE 8-INCH 70V/LO-Z INDOOR/OUTDOOR LOUDSPEAKER, YOKE INCLUDED.	5
TOUCHSOURCE		
AT-32H	ALTA FREE-STANDING KIOSK WITH HORIZONTALLY MOUNTED 32-INCH LCD TOUCHSCREEN, PROCESSOR and SOFTWARE INCLUDING WELCOME SCREEN, TENANT DATA and CONTACT INFO. 2-YEAR WARRANTY and ON-LINE UPDATING INCLUDED.	3
AT-32H-TO	ALTA FREE-STANDING KIOSK WITH HORIZONTALLY MOUNTED 32-INCH LCD TOUCHSCREEN. 1-YEAR WARRANTY INCLUDED.	1
VADDIO		
535-2000-232	THIN PROFILE WALL MOUNT FOR SONY EVI-HD7V & EVI-HD3V PTZ CAMERAS.	11
535-2000-296	DROP DOWN CEILING MOUNT FOR HD-18/19/20 PTZ CAMERA	5
998-1105-002	RACK PANEL FOR UP TO THREE QUICK CONNECT BOXES.	3
998-6000-004	HALF-RACK MOUNTING KIT FOR 1/2 RACK QUICK-CONNECT, EASYUSB MIXER/AMP OR WEBBI.	1
999-2225-012	IN-WALL CAMERA MOUNTING ENCLOSURE FOR WIDESHOT, ZOOMSHOT AND SONY EVI-D70 CAMERAS, INCLUDES METAL BACKBOX ENCLOSURE, CAMERA PLATFORM and FACE FRAME, WHITE POWDER COAT.	1
999-5520-022	TELETOUCH 22-INCH HD TOUCH SCREEN LCD MONITOR WITH BASE. FOR USE WITH PRODUCTIONVIEW HD MV.	1
999-5655-000	PRODUCTIONVIEW HD-SDI MV - CAMERA CONTROL CONSOLE WITH BUILT-IN MULTIVIEWER, 5 HD-SDI/SDI & 1 DVI-I INPUT. VIDEO SWITCHING, MIXING,	1

	TRANSITIONS & GRAPHICS WITH JOYSTICK CONTROL. HD-SDI & HDMI PREVIEW & PROGRAM OUTPUTS.	
999-6920-100	ZOOMSHOT 20 QUSB SYSTEM - HD CAMERA WITH QUICK-CONNECT USB INTERFACE, 20X POWER ZOOM, WALL-MOUNT, POWER SUPPLY AND IR REMOTE. INTERFACE HAS SIMULTANEOUS USB, HDMI AND YPbPr OUTPUTS. REQUIRES TWO CAT5 CABLES FROM CAMERA TO INTERFACE (UP TO 150 FT.).	5
999-8210-000	AV BRIDGE - HD MEDIA AUTO-SCALING STREAMING APPLIANCE WITH HDMI, HD-15 & SD ON BNC VIDEO INPUTS; DUAL XLR & RCA AUDIO INPUTS; USB & RJ-45 OUTPUTS; RS-232 CONTROLLABLE. 1RU.	2
999-8510-000	EASYMIC CEILING MICPOD - ECHO CANCELING CEILING-MOUNTED MICROPHONE WITH 360-DEGREE PICKUP PATTERN. WHITE.	2
999-8530-000	EASYUSB MIXER/AMP	1
999-9917-000	ROBOSHOT 30 QCCU SYSTEM WITH 1080P/60 PTZ CAMERA WITH 30X OPTICAL ZOOM LENS, WALL MOUNT, IR COMMANDER AND QUICK-CONNECT UNIVERSAL CCU WITH SIMULTANEOUS COMPONENT, HDMI AND HD-SDI OUTPUTS. RS-232 CONTROLLABLE. CCU CONNECTS WITH CAMERA VIDEO, CONTROL & POWER VIA THREE CAT CABLES UP TO 500 FT.	3

WIREMOLD

EFB10-B	EFB10 SERIES, SINGLE GANG BLANK DEVICE PLATE .	6
EFB10S-23GMB	EFB10 SERIES, MOUNTING BRACKET WITH ONE TWO-GANG DEVICE OPENING AND ONE THREE-GANG DEVICE OPENING .	3
EFB10S-MB	MOUNTING BRACKET WITH FIVE (5) SINGLE-GANG OPENINGS.	3
EFB810-DIV	EFB10 SERIES, RELOCATABLE DIVIDER .	3

WOLVISION

EYE-10	PROGRESSIVE SCAN, XGA CEILING DOCUMENT CAMERA, 30FPS, DIGITAL SCALER. 2 HD-15 OUTPUTS. IR and RS-232 CONTROLLABLE.	1
EYE-10/12 TILE BRIDGE	TILE BRIDGE KIT FOR EYE-10 OR EYE-12 CEILING DOCUMENT CAMERA.	1

ZOOM

BUSINESS - YEARLY	10 HOST PAID ACCOUNT WITH 25 PARTICIPANT CAPACITY. ONE YEAR SUBSCRIPTION. ALLOWS PERSONAL VANITY URL, ON-PREMISE DEPLOYMENT, MANAGED DOMAINS, SINGLE SIGN-ON, COMPANY BRANDING, CUSTOM EMAILS, REST API AND LTI INTEGRATION.	1
CLOUD ROOM CONNECTOR - YEARLY	CLOUD ROOM CONNECTOR YEARLY SUBSCRIPTION - ENABLES H.323/SIP ROOM SYSTEM DIALING INTO ZOOM - ONE PORT ALLOWS A CONCURRENT CONNECTION FOR A SINGLE ROOM SYSTEM.	1